STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

SEAC-III-2014/CR-369/TC-3 Environment department, Room No. 217, 2nd floor, Mantralaya Annexe, Mumbai-400 032. Date: 12thJuly, 2016.

To, M/s. Naiknavare Profile Developers LLP. Sr.No 1204/4,Ghole Road Shivajinaga, Pune 411004

Subject: Environment clearance for proposed construction residential project "Avon Vista" at S. No. 8/3, 8/4, 8/5, 8/6, 8/7, 8/9, 8/10, 8/11, 8/12, Mhalunge, Taluka-Mulshi, Dist-

Pune by M/s. Naiknavare Profile Developers LLP.

Sir,

This has reference to your communication on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee-III, Maharashtra in its 41st meeting and recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 100th meeting.

2. It is noted that the proposal is considered by SEAC-III under screening category 8(a) B2 as per EIA Notification 2006.

Brief Information of the project submitted by you is as-

1.	Name of Project	Project – "Avon Vista"
	Project Proponent	M/s Naiknavare Profile Developers LLP.
2.	Consultant	M/s. Saitech Research & Development Organization
3.	Accreditation of consultant (NABET Accreditation)	Sr. No. 129 in List 'A' of O.M. of MoEF, GoI, New Delhi Dated 05/12/2014
4.	Type of project: Housing project / Industrial Estate / SRA scheme / MHADA / Township or others	Residential
5.	Location of the Project	S. No. 8/3, 8/4, 8/5, 8/6, 8/7, 8/9, 8/10, 8/11, 8/12 Mhalunge, Taluka- Mulshi, Dist-Pune
6.	Whether in Corporation /Municipal/other area	P.M.R.D.A.
7.	Applicability of the DCR	DCPR for Regional Plan Area
8.	IOD/IOA/Concession document Or any other form of document as applicable (Clarifying its conformity with local planning rules & provision)	Not yet received.

10		Note on the initiated work						
10.	9.	1	Not App	plicable				
Total plot area (Sq. m.) Plot Area = 19477.87 m² Deductions Net plot area Net plot a	10.	LOI / NOC from MHADA	Not Applicable					
11. Deductions Net plot area 17530.08 m²				Diot Area 10477 97 m ²				
Net plot area Net Plot Area - 17530.08 m²	11							
12. Permissible FSI (including TDR etc.) 34577.09 m² 34577.09 m² 73423.3 m² (FSI & Non FSI) (FSI & Non FSI) (FSI & Non FSI) (FSI & A4577.09 m² + NON FSI 38846.21 m²) (FSI & Non FSI) (FSI & A4577.09 m² + NON FSI 38846.21 m²	11.	· ·						
TDR etc. Proposed Built—UP-Area (FSI & Non FSI) (FSI & Non FSI) (FSI & A577.09 m²+NON FSI 38846.21 m²)								
CFSI & Non FSI CFSI & 34577.09 m²+NON FSI 38846.21 m²	12.	TDR etc.)		34577.09 m ²				
(FSI & Non FSI) Ground – coverage percentage 14. (%) (Note : percentage of plot not open to sky) 15. Estimated cost of the project No. of building & its configuration (s) 16. No. of building & its configuration (s) 16. No. of building & its configuration (s) 17. Number of tenants and shops Number of expected residents / users 19. Tenant density per hector 20. Height of the building (s) Right of way (width of the road 21. from the nearest fire station to the proposed building (s) Turning radius for easy access of fire tender movement from all around the building excluding the width for the plantation 23. Existing structures(s) Not Applicable (FSI 34377.09 m*+NON FSI 38846.21 m*) (234 12.24 % Total Plot Area (19477.87 m²) 12.24 % Total Plot Area (19477.87 m²) 12.24 % Total Plot Area (19477.87 m²) 13.58 % Net Plot Area (19477.87 m²) 14. Duilding LP+UP+21	13.							
14. (%) (Note: percentage of plot not open to sky)		^ · · · · · · · · · · · · · · · · · · ·			NON FSI 3884	16.21 m²)		
13.58 % Net Plot Area (17530.08 m²)		1 -	1					
open to sky) 15. Estimated cost of the project Rs. 120 Cr. Total bldg. =6 Nos. Sr. No. Building Nos. of Floors Tenements 1 Building LP+UP+21 82 2 Building LP+UP+21 82 3 Building LP+UP+21 82 4 Building LP+UP+21 82 Total No Of tenements= 492 Nos. 17. Number of tenants and shops Number of expected residents / users 19. Tenant density per hector 20. Height of the building(s) Right of way (width of the road from the nearest fire station to the proposed building(s) Turning radius for easy access of fire tender movement from all around the building excluding the width for the plantation 23. Existing structures(s) Not Applicable Not Applicable	14.	1 ' '						
15. Estimated cost of the project Rs. 120 Cr. Total bldg. =6 Nos. Sr. No Building Nos. of Floors Tenements 1 Building LP+UP+21 82 2 Building LP+UP+21 82 3 Building LP+UP+21 82 4 Building LP+UP+21 82 Total No Of tenements= 492 Nos. 17. Number of tenants and shops Number of expected residents / users 19. Tenant density per hector 2460 No's 19. Tenant density per hector 234/ Ha 20. Right of way (width of the road from the nearest fire station to the proposed building(s) Turning radius for easy access of fire tender movement from all around the building excluding the width for the plantation 21. Estimated cost of the project 10. No. Sir. No. Building LP+UP+21 82 22. All Details of the demolition with Sir Tenements 10. Not Applicable 12. No. of building LP+UP+21 82 23. Existing structures(s) Not Applicable Not Applicable	·		13.58 %	Net Plot A	Area (17530.08	m")		
Total bldg. =6 Nos. Sr. No	1.5		D. 120	<u> </u>				
Sr. No Building Nos. of Proposed Tenements 1 Building LP+UP+21 82 2 Building LP+UP+21 82 3 Building LP+UP+21 82 3 Building LP+UP+21 82 4 Building LP+UP+21 82	15.	Estimated cost of the project		**************************************		· · · · · · · · · · · · · · · · · · ·		
No. of building & its configuration (s) Building & LP+UP+21 & 82 Total No. of tenements = 492 Nos. Number of tenants and shops Number of expected residents / users 17. Number of expected residents / users 19. Tenant density per hector 2460 No's 19. Tenant density per hector 234/ Ha 20. Height of the building(s) Right of way (width of the road from the nearest fire station to the proposed building(s) Turning radius for easy access of fire tender movement from all around the building excluding the width for the plantation 23. Existing structures(s) Not Applicable Not Applicable				ug. =o NOS		Dan else d		
16. No. of building & its configuration (s) 1 Building A1 LP+UP+21 82 2 Building LP+UP+21 82 3 Building LP+UP+21 82 4 Building LP+UP+21 82 Building LP+UP+21 82 Building LP+UP+21 82 Building LP+UP+21 82 Total LP+UP+21 82 Total LP+UP+21 82 Total No Of tenements= 492 Nos. 17. Number of tenants and shops Total Tenements - 492 Nos. 18. Number of expected residents / users 2460 No's 19. Tenant density per hector 234/ Ha 20. Height of the building(s) ht of building 69.25 m 21. Right of way (width of the road from the nearest fire station to the proposed building(s) Turning radius for easy access of fire tender movement from all around the building excluding the width for the plantation 23. Existing structures(s) Not Applicable Not Applicable			E	Building		1 - 11		
No. of building & its configuration (s) Rullding LP+UP+21 82 Building LP+UP+21 82 Building LP+UP+21 82 Building LP+UP+21 82 Building LP+UP+21 82 Total No Of tenements= 492 Nos. Total Number of tenants and shops Number of expected residents / users 18. Number of expected residents / users 19. Tenant density per hector 234/ Ha Right of the building(s) ht of building 69.25 m Right of way (width of the road from the nearest fire station to the proposed building(s) Turning radius for easy access of fire tender movement from all around the building excluding the width for the plantation 23. Existing structures(s) Not Applicable Not Applicable			No		Floors	1 enements		
No. of building & its configuration (s) No. of building & its configuration (s) A3			1		LP+UP+21	82		
No. of building & its configuration (s) 3		·	2	-	LP+UP+21	82		
16. configuration (s) A3		N 01 11 11 0 11		 				
4 Building LP+UP+21 82 Building LP+UP+21 82 Building LP+UP+21 82 Total LP+UP+21 82 LP+UP+21 R2 LP+UP+21	1.0	_	3		LP+UP+21	82		
Building B2 LP+UP+21 82 Building LP+UP+21 82 Total 492 Total No Of tenements= 492 Nos. 17. Number of tenants and shops Total Tenements - 492 Nos. 18. Number of expected residents / users 19. Tenant density per hector 234/ Ha 20. Height of the building(s) ht of building 69.25 m Right of way (width of the road from the nearest fire station to the proposed building(s) Turning radius for easy access of fire tender movement from all around the building excluding the width for the plantation 21. Existing structures(s) Not Applicable Not Applicable	10.		4	. –	LP+UP+21	82		
C Total 492 Total Number of tenants and shops Total Tenements = 492 Nos. 18.				Building	LP+UP+21	82		
Total No Of tenements= 492 Nos. 17. Number of tenants and shops 18. Number of expected residents / users 19. Tenant density per hector 234/ Ha 20. Height of the building(s) Right of way (width of the road from the nearest fire station to the proposed building(s) Turning radius for easy access of fire tender movement from all around the building excluding the width for the plantation 23. Existing structures(s) Details of the demolition with Not Applicable				_	LP+UP+21	82		
Total No Of tenements= 492 Nos. 17. Number of tenants and shops 18. Number of expected residents / users 19. Tenant density per hector 234/ Ha 20. Height of the building(s) Right of way (width of the road from the nearest fire station to the proposed building(s) Turning radius for easy access of fire tender movement from all around the building excluding the width for the plantation 23. Existing structures(s) Total No Of tenements= 492 Nos. Total Tenements - 492 Nos. 2460 No's 2460 No's 12 m 12 m 12 m 13 m 14 m 15 m 16 m 17 m 18 m 19 m 19 m 10 m 10 m 11 m 12 m 12 m 13 m 14 m 15 m 16 m 16 m 17 m 18 m 18 m 19 m 19 m 19 m 10 m 11 m 12 m 13 m 14 m 15 m 16 m 17 m 18 m 18 m 19 m 19 m 19 m 10 m 10 m 10 m 11 m 11 m 12 m 13 m 14 m 15 m 16 m 16 m 17 m 18 m 18 m 19 m 19 m 10 m 10 m 10 m 11 m 12 m 13 m 14 m 15 m 16 m 17 m 18 m 19 m 19 m 10 m			Total			492		
17. Number of tenants and shops 18. Number of expected residents / users 19. Tenant density per hector 20. Height of the building(s) Right of way (width of the road from the nearest fire station to the proposed building(s) Turning radius for easy access of fire tender movement from all around the building excluding the width for the plantation 21. Existing structures(s) Not Applicable Not Applicable				o Of teneme	ents= 492 Nos	1 172		
18. Number of expected residents / users 19. Tenant density per hector 20. Height of the building(s) Right of way (width of the road from the nearest fire station to the proposed building(s) Turning radius for easy access of fire tender movement from all around the building excluding the width for the plantation 21. Existing structures(s) Not Applicable 2460 No's 234/ Ha 12 m 12 m 12 m 9.00 m Fire Tender Path 9.00 m Turning Radius	17.	Number of tenants and shops						
residents / users 19. Tenant density per hector 20. Height of the building(s) Right of way (width of the road from the nearest fire station to the proposed building(s) Turning radius for easy access of fire tender movement from all around the building excluding the width for the plantation 21. Existing structures(s) Not Applicable Path Pa			<u> </u>			4		
19. Tenant density per hector 20. Height of the building(s) Right of way (width of the road 21. from the nearest fire station to the proposed building(s) Turning radius for easy access of fire tender movement from all around the building excluding the width for the plantation 23. Existing structures(s) Details of the demolition with Not Applicable	18.		2460 No	o's				
20. Height of the building(s) Right of way (width of the road from the nearest fire station to the proposed building(s) Turning radius for easy access of fire tender movement from all around the building excluding the width for the plantation 23. Existing structures(s) Details of the demolition with Not Applicable	19.		234/ H	a				
Right of way (width of the road from the nearest fire station to the proposed building(s) Turning radius for easy access of fire tender movement from all around the building excluding the width for the plantation 23. Existing structures(s) Details of the demolition with Not Applicable			ht of bu	ilding 69.25	m			
21. from the nearest fire station to the proposed building(s) Turning radius for easy access of fire tender movement from all around the building excluding the width for the plantation 23. Existing structures(s) Details of the demolition with Not Applicable Not Applicable		· · · · · · · · · · · · · · · · · · ·						
the proposed building(s) Turning radius for easy access of fire tender movement from all around the building excluding the width for the plantation 23. Existing structures(s) Details of the demolition with Not Applicable Not Applicable	21.	, •	12 m					
Turning radius for easy access of fire tender movement from all around the building excluding the width for the plantation 23. Existing structures(s) Details of the demolition with Not Applicable Not Applicable								
of fire tender movement from all around the building excluding the width for the plantation 23. Existing structures(s) Details of the demolition with 9.00 m Fire Tender Path 9.00 m Turning Radius Not Applicable Not Applicable								
22. all around the building excluding the width for the plantation 23. Existing structures(s) Details of the demolition with 9.00 m Fire Tender Path 9.00 m Turning Radius Not Applicable Not Applicable			0.00	ייי איי	D. d			
excluding the width for the plantation 23. Existing structures(s) Details of the demolition with Not Applicable Not Applicable	22.		1					
plantation 23. Existing structures(s) Not Applicable Details of the demolition with Not Applicable			9.00 m Turning Radius					
Details of the demolition with Not Applicable			1					
24 Details of the demolition with Not Applicable	23.	Existing structures(s)	Not Ap	plicable				
disposal (If applicable)	24		·					
	24.	disposal (If applicable)						

		Residential & Commercial:					
		Source : Mhalunge Grampanchayat					
		Dry season:					
		Sr. No	During dry season				
		1	Fresh Water	360.1 m ³ /day (One Time)			
		2	Recycled Water (Flushing)	110.7 m ³ /day			
		3	Recycled Water (Gardening)	18.0 m ³ /day			
		4	HVAC Makeup	NA			
		5	Total Fresh water Requirement	231.4 m ³ /day			
		6	Excess treated water	179.19/day			
		7	Swimming Pool	6.5 m ³ /day(Tanker)			
		8	Club House	10.0 m ³ /day			
25.	Total Water Requirement	9	Fire fighting (Cum)	600.00m ³			
		• Source Sr. No	e : Mhalunge Grampar During	Wet season			
		1	Fresh Water	342.1m³/day (One Time)			
		2	Recycled Water (Flushing)	110.7 m ³ /day			
į		3	Recycled Water (Gardening)	0.00 m ³ /day			
		4	HVAC Makeup	NA 4			
		-5	Total Fresh water Requirement	231.4 m³/day			
		6	Excess treated water	197.19/day			
		7	Swimming Pool	6.5 m ³ /day(Tanker)			
		8	Club House	10.0 m ³ /day			
		9	Fire fighting (Cum)	600.00m ³			
26.	Details about Swimming Pool:	Dimension of Swimming Pool: 187.83sq.m					
		Total water Requirement in KLD: 214.8 m ³ Water requirement For Make Up in KLD: 6.5 m ³ /day					
				ry used for treatment of			
		Swimming pool water:					
		Details of quality to be achieved for swimming pool					
	water and parameters to be monitored:						

27.	Rain Water Harvesting (RWH)	• Level of the Ground water table: 50 to 70m
27.	Tuni water Harvesting (1911)	below the ground level
		• Size and no of RWH tank(s) and Quantity: 2m x 2m
		• Capacity of RWH tanks: NA
		• Location of the RWH tank(s):)-
•		• No. of recharge pits: 8
		• No. of recharge pits. o
		Commercial:
		No. of RWH Tanks: NA
		Capacity of RWH tanks: NA
		• Location of the RWH tank(s): NA
]		• No. of recharge pits: NA
		Budgetary allocation (Capital cost and O & M
		cost):
		• Capital cost: Rs.4.0Lakh
	·	O & M Cost: Rs. 0.2 Lakh / Year
28.	UGT tanks	Residential:
20.	COT talks	Domestic UG tank Capacity: 239.0 m ³
		Flushing UG tank Capacity: 119.7 m ³
-		Fire UG tank Capacity: 600.00 m ³
		Commercial: NA
29.	Storm water drainage	Natural water drainage pattern:
		• Quantity of storm water: 19.56 m ³ /Hr
		• Size of SWD: 200 to 450 mm
30.	Sewage and Waste water	Residential:
]	Soviege units vi uses vi uses	• Sewage generation (CMD): 307.89 m ³ /day
	;	• Capacity of STP (CMD): 325.0 m ³ /day
		STP Technology: MMBR
		Commercial: NA
j		Sewage generation (CMD):
		Capacity of STP(CMD):
}		STP technology: MMBR
		Location of STP:
		DG sets (during emergency) Residential & Club
		House: 1 x 200 KVA
		Budgetary allocation (Capital cost and O & M
		cost):
İ		Capital Cost: Rs. 63.0 Lakh
		O & M Cost: Rs15.0Lakh / Year
31.	Solid Waste Management	Waste generation in the pre-Construction and
		Construction phase:
		Waste generation: 25.0 kg/day
		Quantity of the top soil to be preserved: Use For
		Landscaping
		Disposal of the construction way debris: Use for
		Leveling
		Waste generation in the operation phase Residential &
	·	commercial 1131.6 kg/day
		Biodegradable waste: 701.1 kg/day
		Non-Biodegradable waste: 430.5 kg/day

• E-waste: Not Applicable

• Hazardous waste: N.A

• Biomedical waste(Kg/month) (If applicable): Not Applicable

• STP sludge: 27.71 kg/day

Mode of Disposal of waste:

Dry waste: Authorized vendor

• Wet waste: Organic Waste Convertor

• E-waste: Not Applicable

• Hazardous waste: Authorized Re-processor

• Biomedical waste(kg/month):Not Applicable

STP sludge: Used as Manure after treatment in OWC

Area requirement:

1. Location(s):

2. Total area provided for the storage & Treatment of the solid waste: 92 m²

3. Budgetary allocation (capital Cost & O & M cost):

• Capital Cost: Rs. 12.0 Lakh

• O & M cost: Rs. 2.95 Lakh / Year

32. Green Belt Development

- 1. Total RG area: 2538.81m² i.e. about 12.20 % of Net plot area (17530.08 Sq. M.) otal RG area:
- 1. RG area other than green belt (Please specify for playground, etc.):NA

2. RG area under green belt: 4578.94 m²

• RG on the ground (sq. m.): 2538.81m²

• RG on the podium (sq. m.):NA

List of Trees: (On Site)

Sr. No	Botanical name	Common name	Quantity	Ecological Importance
1	Bauhinia purpurea	Kanchan	66	Small, deciduous tree with pink fragrant flowers, attracts butterflies.
2	Syzygium cumini	Java plum	15	Large tree ,nesting habitat for birds & bears ample fruits during season
3	Mimusops elengi	Bakul	11	Large evergreen tree with fragrant flowers attracts bees, birds.
4	Michelia champaca	Sonchafa	21	Shady, medium sized evergreen tree with fragrant yellow flowers. Act as a butterfly host.
5	Manikara zapota	Chikkoo	12	Chikko is an attractive, luscious, tasty and nutritious fruit with a distinct and pleasant aroma, and delicate flavor.
6	Plumeria alba	Frangipai	36	Small,evergreen,ornamental tree

		white		with drooping over all form
7	7 Putranjiva Putranjiva roxburghii tree		17	Shady, medium sized tree with drooping over all form
8	Terminalia catappa	Badam	10	Shady, medium sized tree. Forms its canopy like an umbrella and good nesting habitat and food source for birds.
9	Artocarpus heterophyllas	Jack fruit	5	Nesting habitat for birds. Dense foliage creates nice shade under it.
	Drought resi	stant trees		
10	10 Azardirachta indica Neem tree			Shady, Fast growing, large evergreen tree with white fragrant flowers.
11	11 Cassia fistula Golden shower tree			Medium ,fast growing deciduous tree with yellow flowers, acts as butterfly host
	Total No of Tre	es	233	

LIST OF TREES (Green Belt)

Sr. No	Botanical name	Common name	Quantity	Ecological Importance
1	Bauhinia purpurea	Kanchan	9	Small, deciduous tree with pink fragrant flowers, attracts butterflies.
2	Syzygium cumini	Java plum	6	Large tree, nesting habitat for birds and bears ample fruits during season.
3	Mimusops elengi	Bakul	6	Large evergreen tree with fragrant flowers, attracts bees, birds
4	Michelia champaca	Sonchafa	5	Shady ,medium sized evergreen tree with fragrant yellow flowers Acts as a butterfly host
5	Annona reticulate	Ramphal	5	Deciduous tree grows well in warm climatic conditions can tolerate long periods of dry weather
6	Mangifera indica	Mango tree	6	Mango is an attractive, luscious, tasty and nutritious fruit with a distinct and pleasant aroma and delicate flavor
7	Plumeria alba	Frangipani white	5	Small evergreen ornamental tree with white fragrant flower
8	Putranjiva roxburghii	Putranjiva tree	4	Shady ,medium sized tree with drooping over all form

	Drought r	esistant trees		
9	Azardirachta indica	Neem tree	. 3	Shady fast growing large evergreen tree with white fragrant flowers
10	Tamarindus indica	Chinch	2	Long lived tropical evergreen tree with a spreading crown and evergreen foliage, with brown sticky fruit of sour taste
	Total No of to	rees	51	

- Number & list of trees species to be planted in the ground RG: Trees 233 Nos. of trees
- Number & list of shrubs & bushes species planted in the podium RG: Nos.
- Number & list trees species to be planted around the border of nallah / stream/pond(If any): NA
- No of Existing Trees: 02
- Number, Size, Age and Species of trees to be cut, trees to be transplanted:
- NOC for the tree cutting/transplantation/ Compensatory plantation, if any: NA

Budgetary allocation (capital cost O & M Cost):

	Capital Cost: Rs 300.00 Lakh	
	O & M: Rs. 15.00 Lakh/Year	
33.	Energy	Power Supply:
		Total power consumption for residential buildings
		Source of Supply: MSEDCL.
		a) Connected Load- 1799.39 KW
		b) Total Maximum Demand –1100KW
		c) Transformer –630 KVA x 3 No.s
		DG Sets: Number and capacity of the DG sets to be used 1X 200 KVA.
		• Fuel Requirement (Diesel): 22 x 1 lit./hr for 200 KVA
	·	Total power consumption for club house and
		Common area buildings: Considered in
		Residential
		Energy saving measures
		The following Energy Conservation Methods are
		proposed in the project:
		Auto Timer control for external & Common lighting
		Use of CFL / LED lamps in all public/ common areas.
		Solar powered water Heating.
		Electronic V3F Drives for Elevators
	·	Compliance of the ECBC guidelines: (Yes / No) (If
		yes then submit compliance in tabular form):
		Compliance with Energy Conservation Building Code
		(ECBC) 2007
		Budgetary allocation (Capital cost and O & M cost):
		Capital Cost: Rs. 18.0 Lakh
		O & M Cost: Rs. 3.16 Lakh /Year
	1,447.2	Number and capacity of the DG sets to be used: 1 No.
	- ···	<i>⇒ (</i>

			200KV	VA				
) KVA: 4.11	Mtr. (G.L.)		
			Stack Height: For 200 KVA: 4.11 Mtr. (G.L.) Electricity requirement from MSEDCL: 1799.39KW					
Ì			HT line passing through the plot if any: Yes					
34.	Environmental Mana	agement	Construction Phase (With break up):					
1	Plant Budgetary Allo		Capital Cost –					
Ì					Capital Cost	O & M Cost		
į			Sr. No	Description	(Rs.)	Per Annum,		
			190		Lakh	(Rs.) Lakh/Year		
	•	·	1	STP	63.0	15.00		
			2	RWH	4.0	0.2		
			3	MSW	12	2.95		
			4	Solar System	18.0	3.16		
			5	Swimming Pool	25.76	1.92		
			6	Landscaping	300	15		
			7	Safety Equipment	10	2.0		
				Surplus Treated				
				Water Line	2.0			
			8	to PMC	3.0	0.2		
			•	Drain				
				(Gravity)				
			9	Storm Water Network	65.0	0.5		
			10	Water Tanker Cost	-	22.08		
			11	Post EC Monitoring	-	2.50		
			12	Dry Waste Management	-	2.95		
	·			Total	500.76	68.46		
				Commitment -	- Certain amor flat owners at to society.	orpus Fund and unt will be recovered the time of sale & 0&M - 2 years		
35.	,	t .						
	Parking Statement	. 3						
1	Plot Area: 19477.87	m'						
1								
I	Parking details:	- m		A T*	ا تعدماماه	Daggridad Daulaina		
	Sr.No.	Ту	pe		able no of As per DCR	Provided Parking		

	1 2 Wheele	rs	738	738
	2 4 Wheele		308	514
	3 Cycle		738	738
	4 Public Tr	ansport		730
	Total Area Provided for p		2	
	No. of Car Parking Providence	•		
	Type Of Parking: Baseme		red fr Onan	
	Area per Car including dri			
	Width of all Internal Road (m)	· 9 nn m	car parking: 30.04 in	
36.				
:	any	110		
37.		/ NA	· · · · · · · · · · · · · · · · · · ·	
-,,	Critically Polluted areas / Eco			
	sensitive areas / inter - State		•	
	boundaries			
38		ist for the other nece	essary annroyals	
39.		Status of the	Name of the	Date of the
	·	approval	competent authority	issued letter
40.	CFO NOC for the above said	Fire NOC		
то.	building structure(s)	obtained	Grampanchayat	27.08.2015
41.	HRC NOC for the above said	Obtained	Not Applicable	
	building structure(s) (If		Hot Applicable	
i	applicable)	•		
42.	NOC for the above said building		Not Applicable	
	structure(s) from the Aviation		1 (ot 1 ippiloaoio	
	authority (If applicable)			
43.	Consent for the water for the	Water NOC		
	above said detail(s)	obtained	Grampanchayat	22.12.2014
44.	Consent for the drainage for the	Drainage NOC	G	00.10.001.1
	above said detail(s)	obtained	Grampanchayat	22.12.2014
45.	Consent for the electric supply		NI_44 · · · ·	····
	for the proposed demand		Not yet received	
46.	Precertification for Green			
	Building Council and other		Not Applicable	
	recognized institute (If		Not Applicable	
	applicable)		·	
47.	Court Order (If applicable)		Not Applicable	
48	Other approvals (If any)	HT line NOC	1607	
	11 \ 7/	Obtained	MSETCL	10.06.2014

3. The proposal has been considered by SEIAA in its 100th meeting & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions:

General Conditions for Pre- construction phase:-

(i) This environment clearance is issued subject to restricting total built up area of 51, 587.80 Sq.m as approved by the Local Planning Authority.

- This environmental clearance is issued subject to land use verification. Local (ii) authority / planning authority should ensure this with respect to Rules, Regulations, Notifications. Government Resolutions, Circulars, etc. issued Judgments/orders issued by Hon'ble High Court, Hon'ble NGT, Hon'ble Supreme Court regarding DCR provisions, environmental issues applicable in this matter should be verified. PP should submit exactly the same plans appraised by concern SEAC and SEIAA. If any discrepancy found in the plans submitted or details provided in the above para may be reported to environment department. This environmental clearance issued with respect to the environmental consideration and it does not mean that State Level Impact Assessment Authority (SEIAA) approved the proposed land use.
- (iii) E-waste shall be disposed through Authorized vendor as per E-waste (Management and Handling) Rules, 2011.
- (iv) Occupation certificate shall be issued by the Local Planning Authority to the project only after ensuring sustained availability of drinking water and connectivity of the sewer line to the project site and proper disposal of treated water.
- (v) PP ensures that excess treated water is used for flushing and gardening by recycling and the same shall not be discharged in Mula River which is adjacent to plot.
- (vi) This environmental clearance is issued subject to obtaining NOC from Forestry & Wild life angle including clearance from the standing committee of the National Board for Wild life as if applicable & this environment clearance does not necessarily implies that Forestry & Wild life clearance granted to the project which will be considered separately on merit.
- (vii) PP has to abide by the conditions stipulated by SEAC & SEIAA.
- (viii) The height, Construction built up area of proposed construction shall be in accordance with the existing FSI/FAR norms of the urban local body & it should ensure the same along with survey number before approving layout plan & before according commencement certificate to proposed work. Plan approving authority should also ensure the zoning permissibility for the proposed project as per the approved development plan of the area.
- (ix) "Consent for Establishment" shall be obtained from Maharashtra Pollution Control Board under Air and Water Act and a copy shall be submitted to the Environment department before start of any construction work at the site.
- (x) All required sanitary and hygienic measures should be in place before starting construction activities and to be maintained throughout the construction phase.

General Conditions for Construction Phase-

- (i) Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche and First Aid Room etc.
- (ii) Adequate drinking water and sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. The safe disposal of wastewater and solid wastes generated during the construction phase should be ensured.
- (iii) The solid waste generated should be properly collected and segregated. dry/inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material.

- (iv) Disposal of muck during construction phase should not create any adverse effect on the neighboring communities and be disposed taking the necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
- (v) Arrangement shall be made that waste water and storm water do not get mixed.
- (vi) All the topsoil excavated during construction activities should be stored for use in horticulture / landscape development within the project site.
- (vii) Additional soil for leveling of the proposed site shall be generated within the sites (to the extent possible) so that natural drainage system of the area is protected and improved.
- (viii) Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/Agriculture Dept.
- (ix) Soil and ground water samples will be tested to ascertain that there is no threat to ground water quality by leaching of heavy metals and other toxic contaminants.
- (x) Construction spoils, including bituminous material and other hazardous materials must not be allowed to contaminate watercourses and the dumpsites for such material must be secured so that they should not leach into the ground water.
- (xi) Any hazardous waste generated during construction phase should be disposed off as per applicable rules and norms with necessary approvals of the Maharashtra Pollution Control Board.
- (xii) The diesel generator sets to be used during construction phase should be low sulphur diesel type and should conform to Environments (Protection) Rules prescribed for air and noise emission standards.
- (xiii) The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from concern authority shall be taken.
- (xiv) Vehicles hired for bringing construction material to the site should be in good condition and should have a pollution check certificate and should conform to applicable air and noise emission standards and should be operated only during non-peak hours.
- (xv) Ambient noise levels should conform to residential standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/MPCB.
- (xvi) Fly ash should be used as building material in the construction as per the provisions of Fly Ash Notification of September 1999 and amended as on 27th August, 2003. (The above condition is applicable only if the project site is located within the 100Km of Thermal Power Stations).

- (xvii) Ready mixed concrete must be used in building construction.
- (xviii) The approval of competent authority shall be obtained for structural safety of the buildings due to any possible earthquake, adequacy of firefighting equipment's etc. as per National Building Code including measures from lighting.
- (xix) Storm water control and its re-use as per CGWB and BIS standards for various applications.
- (xx) Water demand during construction should be reduced by use of pre-mixed concrete, curing agents and other best practices referred.
- (xxi) The ground water level and its quality should be monitored regularly in consultation with Ground Water Authority.
- (xxii) The installation of the Sewage Treatment Plant (STP) should be certified by an independent expert and a report in this regard should be submitted to the MPCB and Environment department before the project is commissioned for operation. Discharge of this unused treated affluent, if any should be discharge in the sewer line. Treated effluent emanating from STP shall be recycled/refused to the maximum extent possible. Discharge of this unused treated affluent, if any should be discharge in the sewer line. Treatment of 100% gray water by decentralized treatment should be done. Necessary measures should be made to mitigate the odour problem from STP.
- (xxiii) Permission to draw ground water and construction of basement if any shall be obtained from the competent Authority prior to construction/operation of the project.
- (xxiv) Separation of gray and black water should be done by the use of dual plumbing line for separation of gray and black water.
- (xxv) Fixtures for showers, toilet flushing and drinking should be of low flow either by use of aerators or pressure reducing devices or sensor based control.
- (xxvi) Use of glass may be reduced up to 40% to reduce the electricity consumption and load on air conditioning. If necessary, use high quality double glass with special reflective coating in windows.
- (xxvii) Roof should meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material to fulfill requirement.
- (xxviii)Energy conservation measures like installation of CFLs /TFLs for the lighting the areas outside the building should be integral part of the project design and should be in place before project commissioning. Use CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination. Use of solar panels may be done to the extent possible like installing solar street lights, common solar water heaters system. Project proponent should install, after checking feasibility, solar plus hybrid non-conventional energy source as source of energy.

- (xxix) Diesel power generating sets proposed as source of backup power for elevators and common area illumination during operation phase should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use low sulphur diesel. The location of the DG sets may be decided with in consultation with Maharashtra Pollution Control Board.
- (xxx) Noise should be controlled to ensure that it does not exceed the prescribed standards. During nighttime the noise levels measured at the boundary of the building shall be restricted to the permissible levels to comply with the prevalent regulations.
- (xxxi) Traffic congestion near the entry and exit points from the roads adjoining the proposed project site must be avoided. Parking should be fully internalized and no public space should be utilized.
- (xxxii) Opaque wall should meet prescriptive requirement as per Energy Conservation Building Code, which is proposed to be mandatory for all air-conditioned spaces while it is aspiration for non-air-conditioned spaces by use of appropriate thermal insulation material to fulfill requirement.
- (xxxiii) The building should have adequate distance between them to allow movement of fresh air and passage of natural light, air and ventilation.
- (xxxiv)Regular supervision of the above and other measures for monitoring should be in place all through the construction phase, so as to avoid disturbance to the surroundings.
- (xxxv) Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the project proponent if it was found that construction of the project has been started without obtaining environmental clearance.
- (xxxvi)Six monthly monitoring reports should be submitted to the Regional office MoEF, Bhopal with copy to this department and MPCB.

General Conditions for Post-construction/operation phase-

- (i) Project proponent shall ensure completion of STP, MSW disposal facility, green belt development prior to occupation of the buildings. As agreed during the SEIAA meeting, PP to explore possibility of utilizing excess treated water in the adjacent area for gardening before discharging it into sewer line No physical occupation or allotment will be given unless all above said environmental infrastructure is installed and made functional including water requirement in Para 2. Prior certification from appropriate authority shall be obtained.
- (ii) Wet garbage should be treated by Organic Waste Converter and treated waste (manure) should be utilized in the existing premises for gardening. And, no wet garbage will be disposed outside the premises. Local authority should ensure this.
- (iii) Local body should ensure that no occupation certification is issued prior to operation of STP/MSW site etc. with due permission of MPCB.

- (iv) A complete set of all the documents submitted to Department should be forwarded to the Local authority and MPCB.
- (v) In the case of any change(s) in the scope of the project, the project would require a fresh appraisal by this Department.
- (vi) A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards.
- (vii) Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department.
- (viii) The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the Marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://ec.maharashtra.gov.in.
- (ix) Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year.
- (x) A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent.
- (xi) The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; SPM, RSPM. SO₂, NOx (ambient levels as well as stack emissions) or critical sector parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
- (xii) The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB.
- (xiii) The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- 4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project

proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.

- 5. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environmental Clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.
- 6. The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.
- 7. Validity of Environment Clearance: The environmental clearance accorded shall be valid for a period of 7 years as per MoEF&CC Notification dated 29th April, 2015.
- 8. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.
- 9. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.
- 10. Any appeal against this environmental clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D-, Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Member Secretary, SEIAA

Copy to:

- 1. Shri. Jagdish Joshi, Chairman, IAS (Retd.). SEAC-III, Flat no. 3, Tahiti chs. Juhu Vers Ova Link Road, Andheri (W), Mumbai- 400 053.
- 2. Additional Secretary, MOEF, 'MoEF& CC, Indira Paryavaran Bhavan, Jorbagh Road, Aligani, New Delhi-110003.
- 3. The CCF, Regional Office, Ministry of Environment and Forest (Regional Office, Western Region, Kendriya Paryavaran Bhavan, Link Road No- 3, E-5, Ravi-Shankar Nagar, Bhopal- 462 016). (MP).
- 4. IA- Division, Monitoring Cell, MoEF& CC, Indira Paryavaran Bhavan, Jorbagh Road, Aliganj, New Delhi-110003.
- 5. Managing Director, MSEDCL, MG Road, Fort, Mumbai

- 6. Collector, Pune.
- 7. Commissioner, Pune Metropolitan Region Development Authority (PMRDA)
- 8. Member Secretary, Maharashtra Pollution Control Board, with request to display a copy of the clearance.
- 9. Regional Office, MPCB, Pune.
- 10. Select file (TC-3)

(EC uploaded on